



Aspadol 100 MG





What Is Aspadol?

Aspadol 100 mg is an opioid analgesic that is approved by the U.S. Food And Drug Administration for the management of chronic pain (long-term pain). The active compound present in this opioid pain medication is Tapentadol.



Aspadol works in two ways. Aspadol 100 mg increases the levels of a hormone in the body called norepinephrine. This hormone is involved in blocking pain, thus helping to relieve it. Aspadol further works by binding to some specific receptors in the brain, altering the way the body responds and perceives pain.

Aspadol 100 Mg – Uses And Benefits

Aspadol 100 mg tablet treats moderate to severe persistent pain. The prescription use of this opioid includes pain associated with arthritis, post-surgical pain, back pain, dental pain, migraine, knee and hip joint pain, fibromyalgia, diabetic neuropathy, and bunionectomy.



Benefits

1

Aspadol 100 mg has a lower risk of side effects compared to other medicines of the same class.

2

It has a faster onset of action (30 minutes).

3

Its effects last for a prolonged period of time.

4

It is readily available at most online pharmacies.

Dosage And Administration Guidelines

GUIDELINES

- ✓
- ✓
- ✓
- ✓
- ✓

The Aspadol 100 mg tablets manufactured by Signature Pharmaceuticals Limited are available as immediate-release and extended-release tablets.

The maximum dosage of Aspadol 100 mg immediate-release is 600 mg daily with a dosage interval of 4 to 6 hours.

The maximum daily dosage of Aspadol 100 mg extended-release tablet is 500 mg at 12-hour intervals. However, the medicine's dosage frequency can vary depending on the condition.

Warnings And Precautions

1

The use of Aspadol 100 mg should be avoided with alcohol, as this combination can cause respiratory depression.

2

People with kidney, heart, and liver ailments should take this medicine with proper consultation with a doctor.

3

This medication is considered unsafe for people under 18 years of age.

4

Avoid driving and operating heavy machinery while taking Aspadol 100 mg.

Adverse Events Associated With Aspadol 100 Mg



A few common side effects of Aspadol 100 mg are - dry mouth, vomiting, stomach pain, constipation, muscle stiffness, and heartburn.

The other side effects of this opioid pain medication are chills, swelling of the throat, hoarseness, lightheadedness, and overheating of the body.

Aspadol 100 Mg – Drug Interactions

Aspadol 100 mg can interact with a total of 372 medicines, a few of which are mentioned below –

- ✓ Baclofen
- ✓ Nardil
- ✓ Aclidinium
- ✓ Biperiden
- ✓ Azelastine
- ✓ Chlorprothixene.
- ✓ Flunarizine
- ✓ Lactitol.

Note—Talk to your healthcare provider or pharmacist before combining Aspadol 100 mg with any medication.

Conclusion

Aspadol 100 mg is a popular pain medication worldwide. Before using Aspadol 100 mg or any other medicine, it is crucial to consult a healthcare provider to discuss its potential uses, benefits, risks, and suitability for your health condition.

Thank You

